THE FILE COP



REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimate maintaining the data needed, and completing and reviewing the colle suggestions for reducing this burden, to Washington Headquarters Se and to the Office of Management and Budget, Paperwork Reduction	ction of information. Send comments regarding this burde ervices, Directorate for Information Operations and Reports	n estimate or any oti	her aspect of this collection of information, including	
1. AGENCY USE ONLY (Leeve blank)	2. REPORT DATE	3. REPORT	TYPE AND DATES COVERED	
	December 1989	presen	ntation/paper	
4. TITLE AND SUBTITLE		5. FUNDING NUMBERS		
ISOLATION OF VIBRIO VULNIFICUS FROM INTERNAL ORGANS OF A SUDDENLY EXPIRED ATLANTIC BOTTLENOSE DOLPHIN  6. AUTHOR(S)		In-hou	ise	
R. S. Fujioka, S. B. Greco, M. B. Cates, and	I J. P. Schroeder			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)			MING ORGANIZATION	
Naval Ocean Systems Center San Diego, CA 92152-5000		REPORT	NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy Street Arlington, VA 22217		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT		12b. DISTRI	12b. DISTRIBUTION CODE	
Approved for public release; distribution is	unlimited.			
13. ABSTRACT (Maximum 200 words)				
observation for chronic low weight, anemia, physical examination. A postmortem was congross examination of organs and subsequent stomach compartment were noted. Internal TCBS, and marine agar. Vibrio vulnificus wheart, kidney and stomach. In comparison, which had expired under similar conditions vulnificus, we conclude that septicemia result through the gastric ulcers in the stomach, we	and a recent expisode of severe colic.' nducted at the site within two hours. It issue histopathology. Ulcerations with organs were carefully exposed and tissue the predominating bacterium recovered from interferom blastomycosis. Based on these reliting from Vibrio vulnificus infection	This dolphin Cause of deat th petechial I sues cultured vered in the that organs of sults and the of this dolph	expired suddenly during a h was not apparent based on hemorrhages in the first for bacteria on blood agar, hree media from blood, speel, another bottlenose dolphin known virulence of Vibrio	
Published in <i>Proceedings</i> of the 18th Annua	? al IAAAM Conference, 198€.		JAN 1 2 1990	
14. SUBJECT TERMS			15. NUMBER OF PAGES	
Tursiops truncatus Vibrio vulnificus			16. PRICE CODE	

90 01 12 060

18. SECURITY CLASSIFICATION OF THIS PAGE

UNCLASSIFIED

19. SECURITY CLASSIFICATION OF ABSTRACT

UNCLASSIFIED

20. UMITATION OF ABSTRACT

UNLIMITED

17. SECURITY CLASSIFICATION OF REPORT

UNCLASSIFIED



ALL STREET

## 18th Annual IAAAM Conference 1987

Monterey, California



## **PROCEEDINGS**

TITLE:

ISOLATION OF VIBRIO VULNIFICUS FROM INTERNAL ORGANS OF A SUDDENLY EXPIRED ATLANTIC BOTTLE-

NOSE DOLPHIN

**AUTHORS:** 

R.S. Fujioka, S.B. Greco, M.B. Cates and

J.P. Schroeder \*

ADDRESS:

University of Hawaii, Honolulu, HI. Naval Ocean Systems Center, Kailua, HI.

A 17-year old male bottlenose dolphin (Tursiops truncatus) housed in an open sea pen for 11 years was under observation for chronic low weight, anemia, and a recent episode of severe colic. This dolphin expired suddenly during a physical examination. A postmortem was conducted at the site within two hours. Cause of death was not apparent based on gross examination of organs and subsequent tissue histopathology. Ulcerations with petechial hemorrhages in the first stomach compartment were noted. Internal organs were carefully exposed and tissues cultured for bacteria on blood agar. TCBS, and marine agar. Vibrio vulnificus was the predominating bacterium recovered in the three media from blood, spleen, heart, kidney and stomach. In comparison, no bacteria were recovered from internal organs of another bottlenose dolphin which had expired under similar conditions from blastomycosis. Based on these results and the known virulence of V. vulnificus, we conclude that septicemia resulting from V. vulnificus infection of this dolphin, perhaps gaining entrance through the gastric ulcers in the stomach, was instrumental in causing the animal's death.

